

2018
>19

Tajima

Since 1909

Home for Professional-Grade Hand Tools

Premium Quality, Recognized Globally



MEETING THE NEEDS OF

Marking tools P4-9

Measuring tapes P14-15



Layout tools P16-18

Utility blades & Knives P20-21

Snap segment blades & Knives P22-31

CONTRACTORS SINCE 1909

Premium blades & Knives P22-31

Scrapers P32


Pull-stroke saws & Blades P33-39



Drywall tools P19

Caulk guns P10-13

Marking Tools



	 0.5mm	 1.0mm	 1.8mm
 7m (23 ft)			CR101S-O P6 
15m (50 ft)			CR403S P7 
30m (100 ft)	CR202B-P P6 	CR201R-PR/W-P P5  CR301JF P5  CR401S P7 	CR503S P7 
Replace- ment Snap Line	 PL-ITOS P8 	 PL-ITOL P8 	 PL-ITOLL P8 

Marking Tools

Chalk-Rite® II Extra Bold



CR201R-PR

CR201W-P

Smooth winding 5-gear chalk snap lines with gasket sealed die-cast aluminum cases and braided 1.0mm extra bold lines.



Item Code					UPC
CR201R-PR	1.0mm x 30m (100ft)	5-GEAR FAST WIND	4	24 (6 sets)	0-49296-05621-6
CR201W-P					0-49296-05678-0

Chalk-Rite® Jam Free



Smooth winding 5-gear drive chalk line with an ABS case, jam free line spool, and a braided 1.0mm extra bold line.




Item Code					UPC
CR301JF	1.0mm x 30m (100ft)	5-GEAR FAST WIND	8	32 (4 sets)	0-49296-05647-6

Marking Tools

Chalk-Rite® II Ultra-Thin



Smooth winding 5-gear chalk snap line with a gasket sealed die-cast aluminum case and a braided 0.5 mm Ultra Thin line.



Extra Bold 1.0 mm

Ultra Thin 0.5 mm

Item Code					UPC
CR202B-P	0.5mm x 30m (100ft)	5-GEAR FAST WIND	4	24 (6 sets)	0-49296-05593-6

Chalk-Rite® Auto Wind



Auto wind chalk snap line with a see-through canister and a unique chalk metering sleeve.



Item Code					UPC
CR101S-0	1.0mm x 7m (23ft)	AUTO-WIND	6	36 (6 sets)	0-49296-05484-7

Marking Tools

Chalk-Rite® Dura



Extra heavy-duty chalk box with an integrated handle release™, premium braided nylon/polyester line and matching felt applicator, a wide fill neck, and an integrated case gasket / non-slip grip.



Integrated handle release™
Die-cast aluminum Case™



Item Code					UPC
CR401S	1.0mm x 30m (100ft)	FAST WIND SYSTEM	4	24 (6 sets)	0-49296-05740-4

Chalk-Rite® Dura / Dura II

(CR403S)

(CR503S)



CR403S



CR503S



Extra heavy-duty chalk box with new Extreme Bold Snap Line™ which holds double amount of chalk comparing to Extra Bold Snap Line™ is suitable for fieldworks which require continuous snaps. New canister fill cap enables felt replacements.



Integrated handle release™
Die-cast aluminum Case™



Item Code					UPC
CR403S	1.8mm x 15m (50ft)	FAST WIND SYSTEM	4	24 (6 sets)	0-49296-05774-9
CR503S	1.8mm x 30m (100ft)	FAST WIND SYSTEM			0-49296-05775-6

Marking Tools

Snap Line Dye



Ultra-fine powdered chalk for semi-permanent marking tasks.

Item Code					UPC
PLC3-DW300	300g / 10.5oz		6	60	0-49296-05776-3
PLC3-DB300					0-49296-05777-0
PLC3-BK300					0-49296-05590-5
PLC3-DR300					0-49296-05589-9
PLC3-BK900	907g / 32oz		6	24	0-49296-05718-3
PLC3-DR900					0-49296-05716-9

Micro Chalk



Coats the line evenly and thoroughly for bold, uniform lines.

Item Code					UPC
PLC2-B300	300g / 10.5oz		6	60	0-49296-05511-0
PLC2-R300					0-49296-05512-7
PLC2-W300					0-49296-05510-3
PLC2-Y300					0-49296-05513-4
PLC2-B900	907g / 32oz		6	24	0-49296-05717-6
PLC2-R900					0-49296-05715-2

Fluorescent Micro Chalk



Fluorescent colors for superior visibility.

Item Code					UPC
PLC2-FG300	300g / 10.5oz		6	60	0-49296-05778-7
PLC2-FY300					0-49296-05779-4
PLC2-FB300					0-49296-05780-0
PLC2-FP300					0-49296-05781-7

Chalk-Rite® Replacement Line

Premium braided nylon / polyester lines for Chalk-Rite® chalk snap lines.




Item Code					UPC
PL-ITOLL	1.8mm x 30m (100ft)	EXTREME BOLD	10	100	0-49296-05782-4
PL-ITOL	1.0mm x 30m (100ft)	EXTRA BOLD			0-49296-05435-9
PL-ITOS	0.5mm x 30m (100ft)	ULTRA THIN			0-49296-05434-2

Marking Tools



Ink-Rite®



Precision snap line that uses ink for a bold and consistent marking line that won't scuff or wash away.



Item Code					UPC
IR101S-0	0.6mm x 7.5m (25ft)	AUTO-WIND	6	36 (6 sets)	0-49296-05461-8

Quick Dry Ink

Snap line ink designed for permanent dry surface marking, with easy-fill nozzles.



Ink-Rite® Replacement Line

Premium braided nylon / polyester line for Ink-Rite® ink snap lines.



Item Code					UPC
PSB2-180	180ml / 6oz		3	60	0-49296-05408-3
PSS2-180					0-49296-05409-0

Item Code				UPC
PS-ITOS	0.6mm x 40m (130ft)	10	100	0-49296-05432-8

Caulk Guns

CONVOY®

Smooth and dependable caulk guns with rotating handles for maneuvering in and around tight spaces, extra-long barrels for hassle-free tube reloads, and featuring thrust system options to handle any material with ease.



360° Rotating Handle




Function List

Specifications and Functions		Cartridge Size	Weight	Materials		Thrust Systems	Functions	Viscosity
				Barrels	Grips			
Convey® RS		310ml/ 1/10gallon	740g/ 26oz	Metal	Resin	DP Enhanced SST	360° RH	
	P11							
Convey® Super 26		310ml/ 1/10gallon	710g/ 25oz	Metal	Metal • Resin	Enhanced SST	360° RH	
	P12	900ml/ 1quart	1005g/ 35oz					
Convey® Super 18		310ml/ 1/10gallon	710g/ 25oz	Metal	Metal • Resin	Enhanced SST	360° RH	
	P12	900ml/ 1quart	1005g/ 35oz					
Convey® Super		310ml/ 1/10gallon	710g/ 25oz	Metal	Metal • Resin	TT System	360° RH AFS System	
	P12	900ml/ 1quart	1005g/ 35oz					
Convey® Plus II		310ml/ 1/10gallon	605g/ 32oz	Metal	Resin	TT System	360° RH AFS System	
	P13	900ml/ 1quart	900g/ 32oz					
Convey® Lite		310ml/ 1/10gallon	480g/ 17oz	Resin	Resin	TT System	AFS System	
	P13							
Convey® X		310ml/ 1/10 gallon	340g/ 12oz	Resin	Resin	TT System	—	
	P13							

Caulk Guns

Thrust System

DP Dual Power™




For hard materials, pull down the lever, for soft materials, push up the lever. By pulling down the lever, thrust force increases about 40%.

Enhanced SST™



By increasing 20% of contact surface between plunger and valve plate, the thrust force is transmitted to the plunger without reduction, it results in higher durability.

TT System Twin Thrust System™




4 edges of valve plates strengthen the thrust force on the plunger. It helps to use hard materials with ease.

Functions

360° RH 360° Rotating Handle™

For maneuvering in and around tight spaces.



AFS System Auto Flow Stop System™

Plunger goes back a few millimeters after every push to stop the flow efficiently.



Convoy® RS

DP Enhanced SST 360° RH

Dual Power™, 360° Rotating Handles™ with contoured grips, and extra-long seal puncture pins. For dispensing thick, viscous materials.



Stroke Distance


Soft Materials 15/64in(6mm)
Hard Materials 15/32in(12mm)



Enhanced SST™



Seal puncture pin



Item Code						UPC
CNV-100RS	740g / 26oz	310ml / 1/10gallon	STEEL WELDED BARREL	6	24	0-49296-16855-1

Caulk Guns

Convoy® Super 26

Enhanced
SST 360°
RH



Stroke Distance

5/32in(4mm)

Extra-high thrust caulk guns with extra-long barrels, 360° Rotating Handles™ with elastomer non-slip grips, and extra-long seal puncture pins. For dispensing extra-thick, viscous materials.

Enhanced SST™



Seal puncture pin



Item Code						UPC
CNV-100SP26	710g / 25oz	310ml / 1/10 gallon	STEEL WELDED BARREL	6	24	0-49296-16561-1
CNV-900SP26	1,005g / 35oz	900ml / 1 quart		4	16	0-49296-16563-5

Convoy® Super 18

Enhanced
SST 360°
RH



Stroke Distance


15/64in(6mm)

High thrust caulk guns with extra-long barrels, 360° Rotating Handles™ with contoured grips, and extra-long seal puncture pins. For dispensing thick, viscous materials.

Enhanced SST™



Seal puncture pin



Item Code						UPC
CNV-100SP18	710g / 25 oz	310ml / 1/10 gallon	STEEL WELDED BARREL	6	24	0-49296-16560-4
CNV-J900SP18	1,005g / 35oz	900ml / 1 quart		4	16	0-49296-16562-8

Convoy® Super

TT
System 360°
RH AFS
System



Stroke Distance

15/32in(12mm)

Max performance caulk guns with extra-long barrels, powerful Twin-Thrust™ dispensing systems, Auto Flow Stop system™, 360° Rotating Handles™, and seal puncture pins.

Seal puncture pin



Twin-Thrust System™



Item Code						UPC
CNV-100SP	710g / 25oz	310ml / 1/10gallon	STEEL WELDED BARREL	6	24	0-49296-06720-5
CNV-J900SP	1,005g / 35oz	900ml / 1quart		4	16	0-49296-06751-9

Caulk Guns

Convoy® Plus II



Stroke Distance

15/32in(12mm)

Extra-long barrel caulk guns with powerful Twin-Thrust™ dispensing systems, Auto Flow Stop system™, 360° Rotating Handles™, and seal puncture pins.

Seal puncture pin



Twin-Thrust System™



Item Code						UPC
CNV-100PL2	605g / 21oz	310ml / 1/10gallon	STEEL WELDED BARREL	6	24	0-49296-06696-3
CNV-J900PL2	900g / 32oz	900ml / 1quart		4	16	0-49296-06705-2

Convoy® Lite



Stroke Distance

25/64in(10mm)

Ultra-light caulk gun with a unique twist-lock barrel removal system for fast and easy tube changes, a powerful Twin-Thrust™ dispensing system, and Auto Flow Stop system™.



Twin-Thrust System™



Item Code						UPC
CNV-100LT	480g / 17oz	310ml / 1/10gallon	REMOVABLE ABS BARREL	6	24	0-49296-06628-4

Convoy® X



Stroke Distance

25/64in(10mm)

Premium fiberglass-reinforced nylon frame gun with a Twin-Thrust™ dispensing system, Auto Flow Stop system™, and a seal puncture pin.

Seal puncture pin



Twin-Thrust System™



Item Code						UPC
CNV-X	340g / 12oz	310ml / 1/10gallon	NYLON / FIBERGLASS FRAME	6	48	0-49296-06882-0

Measuring Tapes



Advanced Blade Coating

Unique Hyper-Acry-Coat™ blade coating is non-reflective and provides superior blade protection and scale readability.(G-Plus™, G-Series, Hi-Lock™)



Ultra-Hard End Hooks

Tempered steel end hooks and 4-rivet attachment ensure consistently accurate inside and outside measurements.(G-Plus™)



End Hook Guard

Thick elastomer case armor extends around the body of the tape measure to protect end hooks and work surfaces.(G-Plus™, Z-Lock™, G-Series)




TAJIMA Tape Measures

G-Plus™



Premium measuring tapes with advanced Hyper-Acry-Coat™ tape coatings, ultra-hard end hooks, and armored cases.



Item Code						UPC
GP-30BW	30ft x 1inch	7.75ft / 2.4m	12.5ft / 3.8m	4	40	0-49296-02860-2
GP-25BW	25ft x 1inch					0-49296-02859-6
GP-16BW	16ft x 1inch					0-49296-02858-9

Z-Lock™



Durable Solid Tape™ tape measure in a thick ABS case with an embedded non-slip elastomer grip and a recoil brake for safe tape recoil control.



Momentary Lock

Item Code						UPC
Z-25BW	25ft x 1inch	7.5ft / 2.3m	11.75ft / 3.6m	4	40 (10sets)	0-49296-02661-5

Measuring Tapes

G-Series

Shock resistant measuring tapes with advanced Hyper-Acry-Coat™ tape coatings, triple-riveted end hooks, cushioned end hook returns, in armored cases.




Item Code						UPC	
G-30BW	30ft x 1inch	7.75ft / 2.4m	12.5ft / 3.8m	6	30 (5 sets)	0-49296-02527-4	
G-25BW	25ft x 1inch					0-49296-02459-8	
G-16BW	16ft x 1inch					0-49296-02481-9	
G-6BW	6ft x 1/2inch	4ft / 1.2m	5.25ft / 1.6m		60	0-49296-02681-3	
G-33/10MBW	33ft / 10m x 1inch	7.75ft / 2.4m	12.5ft / 3.8m		30 (5 sets)	0-49296-02919-7	
G-25/7.5MBW	25ft / 7.5m x 1inch					0-49296-02460-4	
G-16/5MBW	16ft / 5m x 1inch					0-49296-02918-0	
G-7.5MBW	7.5m x 1inch				30	0-49296-02986-9	
G-5.5MBW	5.5m x 1inch					0-49296-02985-2	

Hi-Lock™

Smooth and dependable measuring tapes with advanced Hyper-Acry-Coat™ tape coatings, in compact and ergonomic ABS cases.



Item Code						UPC
HL-30BW	30ft x 1inch	7.75ft / 2.4m	12.5ft / 3.8m	6	30	0-49296-02458-1
HL-25BW	25ft x 1inch			12	48 (4 sets)	0-49296-02412-3
HL-16BW	16ft x 1inch			6	60	0-49296-02414-7
HL-25/7.5MBW	25ft / 7.5m x 1inch					0-49296-02413-0
HL-16/5MBW	16ft / 5m x 1inch					0-49296-02415-4

Layout Tools



Plumb alignment and centering tools


Quickly and easily attaches to most any surface. Setting pin for wood or drywall, strong magnet for steal surfaces, hook onto nail or studs.



Plumb-Rite® 400GP

All-in-one plumb alignment and centering tool with a self-retracting line, elastomer-wrapped case, reinforced setting pin head and a 400g / 14oz quick stabilizing bob.



Item Code					UPC
PZB-400GP	400g / 14oz	4.5m / 14 1/2ft	6	24 (4 sets)	0-49296-05638-4

Plumb-Rite® 400

All-in-one plumb alignment and centering tool with a self-retracting line and a 400g / 14oz quick stabilizing bob.



Item Code					UPC
PZB-400	400g / 14oz	4.5m / 14 1/2ft	6	24 (4 sets)	0-49296-05412-0

Layout Tools

Plumb-Rite® 300



All-in-one plumb alignment and centering tool with a self-retracting line and a 300g / 10oz quick stabilizing bob.



Item Code					UPC
PZB-300	300g / 10oz	3m / 10ft	6	24 (4 sets)	0-49296-05506-6

Plumb-Rite® Quick-Stabilizing Bobs



Unique quick stabilizing bobs stop wobble and spin within 6 seconds.




Item Code		<i>ABC</i>			UPC
PQB600	600g / 21oz	QUICK STABILIZING	6	24	0-49296-05426-7
PQB400	400g / 14oz				0-49296-05425-0
PQB300	300g / 10oz				0-49296-05424-3
PQB200	200g / 7oz				0-49296-05423-6

Plumb-Rite® Braided Plumb Line



Premium braided nylon / polyester line.

Item Code				UPC
PC-ITOL	0.9mm x 15m (4ft)	10	100	0-49296-05431-1

Layout Tools

Slant™ Series

Fast and reliable tools to measure, set or replicate a pitch or angle

1.

2.

3.

To measure an angle or pitch

- Place the bottom of the pitch / angle meter flush with the surface to be measured.
- Rotate the thumb-screw knob until the bubble in the vial is centered between the alignment lines then read the angle or pitch calibration mark at the index pointer.
- Invert the pitch / angle meter to measure a down ward slope.

1.

2.

3.

To set an angle or pitch

- Rotate the thumb-screw knob until the index pointer is positioned at the desired angle or pitch calibration mark.
- Place the bottom of the pitch / angle meter flush with the surface to be set.
- Rotate together until the bubble in the vial is centered between the alignment lines.

Slant™ AL200 / 100

Rotating dual scale angle meters provide one-hand measurement of pitch or angles.

With magnet and aluminum frame

Item Code		Accuracy			UPC
SLT-AL200M	130° - 0 - 130°	±1°	6	36	0-49296-06585-0
SLT-100					0-49296-04083-3

Drywall Tools



GT JAB-SAW™




Unique, steel-reinforced jab saw that features an ergonomic elastomer handle and a replaceable extra heavy-duty 1.2mm thick blade with twin rows of razor-sharp cutting teeth.



Item Code							UPC
GT165JS	165mm	3.75mm	7 TPI	1.2 mm	12	72	0-49296-11163-2
GTB165JS					3	120	0-49296-11164-9

Combination Drywall Rasp

Unique drywall rasp with three distinct grinding sections, grinds in both directions for fast and efficient drywall edge shaping tasks.










In-handle dust collection

Hold upright to empty

Item Code						UPC
TBYD-180	180mm / 7inch	3 GRINDING SECTIONS™	TETRA TEETH™	6	36	0-49296-05666-7

Utility Blades

	Item Code				UPC	Material Suitability Index	Corresponding Knives
V-REX™ II Premium tempered steel blades with razor-sharp cutting edges, optimized for drywall and other heavy-duty cutting and scoring tasks.     	VRB2-5B	5	 10	 120	0-49296-111601	Building Material  ★★★  ★★  ★★	 VR-101R  VR-102B  VR-103
	VRB2-50B	50	 10	 40	0-49296-111618	Paper  ★★★  ★★	
	VRB2-100B	100	 10	 40	0-49296-111625	Wood  ★★★  ★★	
			 1000	 4000		Plastic  ★★	
DEEP HOOK™ Premium-grade deep hook blades designed to prevent slip-off when cutting rigid roofing or flooring material. 	HKB-5B	5	 10	 120	0-49296-01956-3	Building Material  ★★★  ★★★	 VR-101R  VR-102B  VR-103
	HKB-50B	50	 10	 40	0-49296-01955-6		

★★★ Best ★★ Better


Utility Knives

VR-Series Utility Knives

Rugged one-piece fixed-blade utility knife opens easily with a large thumb-screw and has a magnetic blade retainer and spare blades clip.




VR-Series - Fixed-Blade



Item Code					UPC
VR-101R	3	FIXED-BLADE	12	72 (6 sets)	0-49296-01966-2

VR-Series - Retractable-Blade


Rugged one-piece retractable utility knife opens easily with a large thumb-screw.



Item Code					UPC
VR-102B	3	RETRACTABLE-BLADE	12	72 (6 sets)	0-49296-01967-9

VR-Safety Knife

Rugged, self-retracting utility knife opens easily with a side-mounted slide lock.








Item Code					UPC
VR-103	3	SELF-RETRACTABLE BLADE	12	48 (4 sets)	0-49296-11024-6

Snap-Segment Blades

THE TAJIMA DIFFERENCE

Strategically-designed blades that combine the best in material, tempering and sharpening.



		Item Code				UPC	Corresponding Knives
25mm 1 inch	Rock Hard Blade™ SK120 16g 	LCB-65 	10 	6 	60 	600 	0-49296-02088-0  
		LCB-65-20 	20 	6 	120 	1200 	0-49296-01815-3  
		CB65C 	10 	10 	60 	600 	0-49296-11197-7  
SOLID Rock Hard Blade™ SK120 16g 	LCB-65S 	10 	10 	50 	500 	0-49296-01995-2  	
	LCB-65-5SSL 	5 	10 	100 	500 	0-49296-01927-3  	
Razar Black Blade™ SK120 16g 	LCB-65RB 	10 	6 	60 	600 	0-49296-11153-3  	
	CB65RBC 	10 	10 	60 	600 	0-49296-11198-4  	
22mm 7/8 inch	Endura-Blade™ SK120 10g 	LCB-62 	10 	6 	60 	600 	0-49296-02155-9  

Snap-Segment Blades



Only SK-120 Premium Grade Steel

The purest grade of steel ensures the strongest-possible core and results in a more accurately tooled and sharpened blade.



Precise, Multi-Step Sharpening

Optimized cutting edge geometry and advanced honing techniques results in consistent, superior cutting performance.



Japanese-Style Tempering

A centuries-old process of heat-treating and hardening the steel to further maximize blade strength and cutting edge life.


Optimized blade geometry and cutting edge angles To ensure the best cutting performance for specific types of material.



Endura-Blade™

For general purpose scoring and cutting, ideal for work with Drywall, Wood and other Thick Materials. An extremely sharp and strong blade that integrates premium steel, Japanese-style tempering and multi-step sharpening to produce a dependable, solid feel and long cutting performance.


● Cutting Edge Durability









Razar Black Blade™

For precise cutting and fine material slicing, ideal for work with Paper, Film and other Thin Materials. A razor-sharp acute angle blade that integrates premium steel, Japanese-style tempering and multi-step sharpening to produce an exceptionally smooth and fine quality of cut.

● Quality of Cut



		Item Code				UPC	Corresponding Knives			
18mm 3/4 inch	Endura-Blade™ SK120 6g 	  LCB-50	10					0-49296-01427-8	 	
		  LCB-50-50	50					0-49296-04119-9	 	
		  CB50C	10					0-49296-11195-3	 	
	Max Point Endura-Blade™ SK120 6g 	  LCB-50D	10					0-49296-04135-9	 	
	SOLID Endura-Blade™ SK120 6g 	  LCB-50S	10					0-49296-11072-7	 	
	Razar Black Blade™ SK120 6g 	  LCB-50RB	10					0-49296-01906-8	 	
		  LCB-50RB-50	50					0-49296-11064-2	 	
		  CB50RBC	10					0-49296-11196-0	 	
	9mm 3/8 inch	Endura-Blade™ SK120 2g 	  LCB-30	10					0-49296-01425-4	 
			  LCB-30-50	50					0-49296-07040-3	
Razar Black Blade™ SK120 2g 		  LCB-30RB	10					0-49296-11152-6	 	
30° Acute Angle Blade™ SK120 2g 		  CB39RBH	10					0-49296-11194-6		

Tajima



Premium Quality, Recognized Globally™

18
3/4 in



DFC560N



DFC561N



DC540N



CB50RBC



CB50C



Opening cartons, scoring thick cardboard and prying off can lids.



Extended grip ensures safe and efficient cable stripping.

Item Code						UPC
DFC560N	18mm	1	SUPER HARD TIP™ RAZAR BLACK BLADE™	10	120	0-49296-11189-2
DFC561N			RAZAR BLACK BLADE™		60	0-49296-11190-8
DC540N		10	BLADE DISPENSER	10 (100 blades)	120 (1,200 blades)	0-49296-11191-5
CB50RBC						0-49296-11196-0
CB50C						0-49296-11195-3

Extra-strong tempered blade sleeves for smooth and reliable blade extension and retraction.
 High quality cutter knives that deliver superior performance and longevity.
 Customized handles and grips for ease of use. Slick. Sharp. Smart.
 Tajima's premium-class cutter knives. Designed to meet the needs of professionals.

25
1 in



DC660N



Elastomer-grip 25mm / 1 inch cutter knives with ultra-hard tempered blade sleeves.



DC661N



Tether to a lanyard.



CB65RBC




CB65C

9
3/8 in



DC390B



Tempered blade sleeve with a multifunction "micro-driver" tip.



CB39RBH

Item Code						UPC
DC660N	25mm	1	RAZAR BLACK BLADE™	10	60	0-49296-11192-2
DC661N						0-49296-11193-9
CB65RBC		10	BLADE DISPENSER	10 (100 blades)	60 (600 blades)	0-49296-11198-4
CB65C						0-49296-11197-7
DC390B	9mm	1	30°ACUTE ANGLE RAZAR BLACK BLADE™	10	120	0-49296-11188-5
CB39RBH		10	HARD CASE	10 (100 blades)	240 (2,400 blades)	0-49296-11194-6

Snap-Segment Knives

ALUMINIST[®] MAGAZINE



Stylish and highly functional, designed with automatic blade feed systems, removable magazines for blade reload, and rugged die cast aluminum handles with embedded elastomer non-slip grips.

Aluminist[®] Magazine



Rugged die-cast aluminum cutters with auto blade feed and removable magazines. 25mm / 1inch blade model holds up to 5 blades and the 18mm / 3/4inch blade model holds up to 6 blades.



Removable magazine for fast reloads

Item Code						UPC
ACM-700C	25mm / 1inch	3	DUAL BLADE LOCKS	4	40	0-49296-01843-6
ACM-700SC	25mm / 1inch (non-segmented)					0-49296-01926-6
ACM-500C	18mm / 3/4inch		AUTO LOCK BLADE LOCK		20	0-49296-01928-0

Snap-Segment Knives

Rock Hard Aluminist®



Rugged die-cast aluminum 25mm / 1inch cutters with in-handle blade storage, in auto blade lock or dial blade lock models.

Item Code						UPC
AC-700B	25mm / 1inch	3	AUTO LOCK BLADE LOCK	4	40	0-49296-01813-9
AC-700S						0-49296-01828-3
AC-701S			DIAL LOCK BLADE LOCK			0-49296-01829-0
AC-701R						0-49296-01814-6

Heavy Duty Aluminist®



Rugged die-cast aluminum 18mm / 3/4inch cutters with in-handle blade storage, in auto blade lock or dial blade lock models.

Item Code						UPC
AC-500B	18mm / 3/4inch	3	AUTO LOCK BLADE LOCK	4	40	0-49296-01887-0
AC-501R			DIAL LOCK BLADE LOCK			0-49296-01888-7

Heavy Duty Aluminist® Fin



Contoured handle die-cast aluminum 18mm / 3/4inch cutter with a unique multifunction fin and dial blade lock.



Item Code						UPC
AC-521R	18mm / 3/4inch	1	DIAL LOCK BLADE LOCK	4	40	0-49296-01899-3

Snap-Segment Knives

Driver Cutter™

Unique line of knives that feature ultra hard 1 mm thick tempered blade sleeves with multi-function “driver” tips.

3.5 times stronger than standard models, the Driver Cutter™ blade sleeves conform to strict JIS standards for screwdriver tip hardness so they will easily drive standard head screws. But Driver Cutter knives can also handle other common tasks including lifting can lids, and opening boxes without having to extend the knife blade.



Driving standard-head screws



Prying off can lids



Opening cartons, scoring thick cardboard



Driver Cutter™



Elastomer-grip 18mm / 3/4inch knives with a unique “Driver” tip, 3 Razar Black blades, and in-handle blade storage. In auto blade lock and dial blade lock models.



Item Code						UPC
DC-560	18mm / 3/4inch	3	AUTO LOCK BLADE LOCK	10	120	0-49296-01992-1
DC-561			DIAL LOCK BLADE LOCK			0-49296-01993-8


Snap-Segment Knives

Tajima Comfort-Grip knives

GRI® SERIES



Comfortable elastomer grips are ribbed for non-slip performance



Auto Lock blade lock system

Strong blade sleeve

Dial Lock blade lock system

Rock Hard GRI®



Extra heavy duty 25mm / 1inch comfort grip knives equipped with a Rock Hard Blade. In auto blade lock and dial blade lock models.

Item Code						UPC
LC-660	25mm / 1inch	1	AUTO LOCK BLADE LOCK	10	120	0-49296-01580-0
LC-661			DIAL LOCK BLADE LOCK			0-49296-01581-7

Heavy Duty GRI®



Heavy duty 18mm / 3/4inch comfort grip knives equipped with an Endura- Blade. In auto blade lock and dial blade lock models.

Item Code						UPC
LC-560	18mm / 3/4inch	1	AUTO LOCK BLADE LOCK	10	120	0-49296-01561-9
LC-561			DIAL LOCK BLADE LOCK			0-49296-01564-0

Precision Craft GRI®




Precision 9mm / 3/8inch comfort grip knife equipped with an Endura-Blade.

Item Code						UPC
LC-360	9mm / 3/8inch	1	SLIDE LOCK BLADE LOCK	10	120	0-49296-01582-4

Snap-Segment Knives


Rock Hard® H



Extra heavy duty 25mm / 1inch dial blade lock knife with a thick elastomer grip and a Rock Hard Blade.

Item Code						UPC
LC-650	25 mm / 1 inch	1	DIAL LOCK BLADE LOCK	6	60	0-49296-02087-3

LC-620 J



Extra heavy duty 22mm / 7/8inch auto blade lock knife with in-handle blade storage and 3 Endura Blades.



Item Code						UPC
LC-620	22 mm / 7/8 inch	3	AUTO LOCK BLADE LOCK	6	60	0-49296-02154-2

LC-520 / 521 L



Ergonomic 18mm / 3/4inch knives with in-handle blade storage, extra-thick blade sleeves, and 3 Razar Black Blades, in auto blade lock or dial blade lock models.



Item Code						UPC
LC-520	18 mm / 3/4 inch	3	AUTO LOCK BLADE LOCK	10	120	0-49296-11093-2
LC-521			DIAL LOCK BLADE LOCK			0-49296-11094-9

Snap-Segment Knives

LC-500 / 501 L



Heavy duty 18mm / 3/4inch knives with in-handle blade storage and 3 Endura-Blades, in auto blade lock or dial blade lock models and in single color packs or 4 color 40pc. displays.



Item Code						UPC
LC-500	18mm / 3/4inch	3	AUTO LOCK BLADE LOCK	10	120	0-49296-02010-1
LC500-C40				40	120 (3 sets)	0-49296-02147-4
LC-501			DIAL LOCK BLADE LOCK	10	120	0-49296-02134-4
LC501-A40				40	120 (3 sets)	0-49296-02146-7


Precision Craft Stainless Steel A



Sleek and lightweight stainless steel 9mm / 3/8 inch slide blade lock or dial blade lock knives with 3 Endura Blades.

Item Code						UPC
LC-301	9mm / 3/8inch	3	SLIDE LOCK BLADE LOCK	10	120	0-49296-02004-0
LC-302			DIAL LOCK BLADE LOCK			0-49296-02006-4

Precision Craft A



Slim handle 9mm / 3/8inch slide blade lock knife with in-handle blade storage and 3 Endura-Blades, in single color packs or 3 color 60pc. displays.



Item Code						UPC
LC-303	9mm / 3/8inch	3	SLIDE LOCK BLADE LOCK	10	120	0-49296-02007-1
LC303-D60				60	240 (4 sets)	0-49296-02152-8

Scrapers

Scrape-Rite™

Use with a hammer for chisel-like tasks






Smoothing the floor surface

Scrapping off wall paper

Protective blade guard.

Spring-loaded blade clamp.



Scrape-Rite™

PREMIUM GRADE STEEL

JAPANESE-STYLE TEMPERING

MULTI-STEP SHARPENING



H

25 mm / 1 inch



SOLID Rock Hard Blade™



L

18 mm / 3/4 inch



L

18 mm / 3/4 inch



L

18 mm / 3/4 inch



SOLID Endura-Blade™

Reversible blade scrapers with die-cast aluminum heads and reinforced shafts.

Item Code								UPC
SCR-H1200	25mm / 1inch	3	1200mm / 48inch handle	4		8		0-49296-01996-9
SCR-L600	18mm / 3/4inch		600mm / 24inch handle			24		0-49296-01614-2
SCR-L300			300mm / 12inch handle					0-49296-01613-5
SCR-L200			200mm / 8inch handle					0-49296-01612-8
LCB-65S	25mm / 1inch	10	SOLID ROCK HARD BLADE™	 10  100	 50  500	0-49296-01995-2		
LCB-50S	18mm / 3/4inch		SOLID ENDURA-BLADE™		 120  1200	0-49296-11072-7		

Pull-Stroke Saws

Japan Pull™ Blades



Japanese Tempered

Unique steel hardening process that results in blades with exceptional durability and cutting performance.




Impulse Hardened

Spot hardening of blade teeth to further enhance the cutting performance while not reducing blade flexibility.



Fluoro-Coat™


Unique fluorine-based coating that reduces friction and protects against rust and corrosion.




*After cutting through 40 mm thick branches, 100 times.




Alternating 4 tall, 4 short teeth pattern that results in cutting edge sharpness that lasts 3 times longer.



Extra rigid blade for superior tracking and cutting control.



Japanese tempered SK-95 premium steel blade with triple cutting edge teeth and Fluoro-Coat™ blade coating.




Japanese tempered SK-95 premium steel blade with triple cutting edge teeth.



Pull-Stroke Saws

Japan Pull™ R-Saw



						Material Suitability Index				
① MGB-300FB	standard cut	300mm	2.15mm	13 TPI	0.7mm (1.15mm)		★	★★	★★★	★★
② GNB-300							★	★★	★★★	★★
③ GNB-265	fine cut	265mm	1.75mm	16 TPI	0.6mm (0.9mm)		★★	★★★	★★	★
④ GNB-265ST		230mm					★★	★★★	★★	★
⑤ GNB-250	extra fine cut	250mm	1.40mm	19 TPI	0.5mm (0.7mm)		★★	★★	★	
⑥ GNB-230	micro fine cut	230mm	1.20mm	21 TPI	0.4mm (0.55mm)		★★	★★	★	

★★★ Best ★★ Better ★ Good

Pull-Stroke Saws

Premium Carpenter Saw

Premium carpenter saw with a 13 TPI Fluoro-Coat™ blade and an oversize handle with an embedded elastomer grip and a protective blade guard that covers the entire blade.



Magnum® 300



Item Code							UPC
MG-300FB	300 mm	2.15mm	13 TPI	0.7mm (1.15mm)	4	12	0-49296-01883-2

Magnum® 300 Blade



Premium-grade 13 TPI Fluoro-Coat™ blade, exclusive replacement for the Magnum® 300 saw.

Item Code							UPC
MGB-300FB	300mm	2.15mm	13 TPI	0.7mm (1.15mm)	2	120	0-49296-01884-9

Pull-Stroke Saws

Japan Pull™ 265R



Precision pull-stroke saw with a quick-release blade retainer and a traditional straight handle with elastomer grip.

Item Code							UPC
JPR-265R	265mm	1.75mm	16 TPI	0.6mm (0.9mm)	6	24	0-49296-01971-6

Japan Pull™ 265 Short



Precision pull-stroke saw with a quick-release blade retainer and a short straight handle with tubular elastomer grip. Total length only 406mm / 16inches.

Item Code							UPC
JPR-265ST	230mm	1.75mm	16 TPI	0.6mm (0.9mm)	6	24	0-49296-11102-1

Japan Pull™ 300 and 265



Precision pull-stroke saws with quick-release blade retainers and curved handles with elastomer non-slip grips.

Item Code							UPC
JPR-300	300mm	2.15mm	13 TPI	0.7mm (1.15mm)		60	0-49296-01944-0
JPR-265	265mm	1.75mm	16 TPI	0.6mm (0.9mm)	6	24 (4 sets)	0-49296-01943-3

Pull-Stroke Saws

Japan Pull™ Set



4pc. precision pull-stroke saw set with an elastomer-wrapped straight handle, 16 TPI and 19 TPI blades, and a tri-fold canvas carry case.

Item Code							UPC
JPR-SET	GNB-265	265mm	1.75mm	16 TPI	0.6mm (0.9mm)	6 sets	0-49296-11005-5
	GNB-250	250mm	1.40mm	19 TPI	0.5mm (0.7mm)		

Japan Pull™ Blades



Premium-grade SK-95 blades with triple-edge cutting teeth impulse hardened for superior performance.

Item Code							UPC
GNB-300	300mm	2.15mm	13 TPI	0.7mm (1.15mm)	3	120	0-49296-06009-1
GNB-265	265mm	1.75mm	16 TPI	0.6mm (0.9mm)			0-49296-06003-9
GNB-265ST	230mm			0.6mm (0.9mm)			0-49296-11103-8
GNB-250	250mm	1.40mm	19 TPI	0.5mm (0.7mm)			0-49296-06001-5
GNB-230	230mm	1.20mm	21 TPI	0.4mm (0.55mm)			0-49296-11104-5

Pull-Stroke Saws

Japan Pull™ G-Saw

All handles are interchangeable with all blades.

Fixed Handle

Folding Handle

Aggressive

Aggressive

① ALB-A240

② ALB-A270

③ GKB-210

④ GKB-240

210mm and 240mm blade options only

Wood

						Material Suitability Index				
① ALB-A240	Aggressive cut	240mm	3.00mm	9 TPI	(1.2mm) 0.9mm	★★		★★	★ ★	★★
② ALB-A270		270mm				★★		★★	★ ★	★★
③ GKB-G210		210mm			0.7mm (1.0mm)	★★		★★	★ ★	★★
④ GKB-G240		240mm				★★		★★	★ ★	★★

★ ★ Best
 ★ ★ Better
 ★ Good

Pull-Stroke Saws

Aluminist® G-Saw™



Die-cast aluminum handle saws with elastomer grips and tapered 9 TPI Fluoro-Coat™ blades, in fixed-blade with sheath or folding-handle models.



Item Code							UPC
ALSA-A270	270mm	3.0mm	9 TPI	0.9mm (1.2mm)	4	24	0-49296-01746-0
ALOR-A240	240mm						0-49296-01741-5

G-Saw™ 240 and 210




Folding handle saws with elastomer grips and tapered 9 TPI multipurpose blades.



Item Code							UPC
GK-G240	240mm	3.0mm	9 TPI	0.7mm (1.0mm)	6	60	0-49296-01589-3
GK-G210	210mm						0-49296-01575-6

G-Saw™ Replacement Blades

Premium-grade 9 TPI tapered blades with triple-edge cutting teeth, with Fluoro-Coat™ or standard blade coatings.



Item Code							UPC
ALB-A270	270mm	3.0mm	9 TPI	0.9mm (1.2mm)	2	120	0-49296-01750-7
ALB-A240	240mm						0-49296-01749-1
GKB-G240	240mm			0.7mm (1.0mm)	3		0-49296-01590-9
GKB-G210	210mm						0-49296-01576-3

Attractive Display Proposal

Distinctive Top Board




Makes a strong statement at point of sale



Premium Quality items appeals well with designed POPs

Please introduce them as a sales promotion.

Outstanding designed Point of purchase



Hook Display Set made exclusively for Convoy®



Eye-catching POPs for Marking Tools

Talk to your local sales person regarding caulk display.

INDEX

Item Code	Page		
A			
AC-500B	27	DC661N	25
AC-501R	27	DFC560N	24
AC-521R	27	DFC561N	24
AC-700B	27	G	
AC-700S	27	G-16/5MBW	15
AC-701R	27	G-16BW	15
AC-701S	27	G-25/7.5MBW	15
ACM-500C	26	G-25BW	15
ACM-700C	26	G-30BW	15
ACM-700SC	26	G-33/10MBW	15
ALB-A240	39	G-5.5MBW	15
ALB-A270	39	G-6BW	15
ALOR-A240	39	G-7.5MBW	15
ALSA-A270	39	GKB-G210	39
C		GKB-G240	39
CB39RBH	23. 25	GK-G210	39
CB50C	23. 24	GK-G240	39
CB50RBC	23. 24	GNB-230	37
CB65C	22. 25	GNB-250	37
CB65RBC	22. 25	GNB-265	37
CNV-100LT	13	GNB-265ST	37
CNV-100PL2	13	GNB-300	37
CNV-100RS	11	GP-16BW	14
CNV-100SP	12	GP-25BW	14
CNV-100SP18	12	GP-30BW	14
CNV-100SP26	12	GT165JS	19
CNV-900SP18	12	GTB165JS	19
CNV-900SP26	12	H	
CNV-J900PL2	13	HKB-50B	20
CNV-J900SP	12	HKB-5B	20
CNV-X	13	HL-16/5MBW	15
CR101S-0	6	HL-16BW	15
CR201R-PR	5	HL-25/7.5MBW	15
CR201W-P	5	HL-25BW	15
CR202B-P	6	HL-30BW	15
CR301JF	5	I	
CR401S	7	IR101S-0	9
CR403S	7	J	
CR503S	7	JPR-265	36
D		JPR265R	36
DC390B	25	JPR-265ST	36
DC540N	24	JPR-300	36
DC-560	28	JPR-SET	37
DC-561	28	L	
DC660N	25	LC-301	31
		LC-302	31
		LC-303	31
		LC303-D60	31
		LC-360	29
		LC-500	31
		LC500-C40	31
		LC-501	31
		LC501-A40	31
		LC-520	30
		LC-521	30
		LC-560	29
		LC-561	29
		LC-620	30
		LC-650	30
		LC-660	29
		LC-661	29
		LCB-30	23
		LCB-30-50	23
		LCB-30RB	23
		LCB-50	23
		LCB-50-50	23
		LCB-50D	23
		LCB-50RB	23
		LCB-50RB-50	23
		LCB-50S	23. 32
		LCB-62	22
		LCB-65	22
		LCB-65-20	22
		LCB-65-5SSL	22
		LCB-65RB	22
		LCB-65S	22. 32
		M	
		MG-300FB	35
		MGB-300FB	35
		P	
		PC-ITOL	17
		PLC2-B300	8
		PLC2-B900	8
		PLC2-FB300	8
		PLC2-FG300	8
		PLC2-FP300	8
		PLC2-FY300	8
		PLC2-R300	8
		PLC2-R900	8
		PLC2-W300	8
		PLC2-Y300	8
		PLC3-BK300	8

Item Code	Page
PLC3-BK900	8
PLC3-DB300	8
PLC3-DR300	8
PLC3-DR900	8
PLC3-DW300	8
PL-ITOL	8
PL-ITOLL	8
PL-ITOS	8
PQB200	17
PQB300	17
PQB400	17
PQB600	17
PSB2-180	9
PS-ITOS	9
PSS2-180	9
PZB-300	17
PZB-400	16
PZB-400GP	16
S	
SCR-H1200	32
SCR-L200	32
SCR-L300	32
SCR-L600	32
SLT-100	18
SLT-AL200M	18
T	
TBYD-180	19
V	
VR-101R	21
VR-102B	21
VR-103	21
VRB2-100B	20
VRB2-50B	20
VRB2-5B	20
Z	
Z-25BW	14

Tajima

Founded in 1909 as a manufacturer of steel and woven measuring tapes, TJM Design Corporation now produces over 1,000 premium-grade hand tools under the **Tajima** brand. A multinational organization with global production facilities, TJM Design Corporation continues its commitment to excellence in the design, selection of materials, production and quality control processes that govern the manufacture of its tools. And all TJM Design Corporation staff are dedicated to ensuring that the function, quality, shape and design of **Tajima** tools fulfills the desires and expectations of the end user. As a result, **Tajima** brand tools are recognized worldwide as offering exceptional feature and function at a high level of quality rarely seen in today's industry.



TAJIMA TOOL CORPORATION

3510 Torrance Blvd., Suite 301, Torrance, CA 90503

Toll-Free

Phone. 1-888-482-5462

Fax. 1-888-825-4621

www.tajimatool.com

© 2018 Tajima Tool Corporation



Actual products may vary in color and material from photographs.